

Product Information

A PRODUCT OF ASHLAND CONSUMER MARKETS, A COMMERCIAL UNIT OF ASHLAND INC.



MaxLife™ FE SAE 5W-30

034/05

MaxLife FE SAE 5W-30 is a premium synthetic blend motor oil, formulated on basis of synthesized hydrocarbon technology and fortified with the most advanced additive system. MaxLife FE SAE 5W-30 provides the ultimate performance in lubrication of gasoline and diesel engines of passenger cars, delivery vans, light passenger buses, campers, utility trucks, etc, and on top of that it gives maximum fuel economy. The product has been developed for use in modern vehicles and vehicles which have been longer in use and did a 100.000 Km. or more. MaxLife prevents leakage and high oil consumption and is therefore a benefit to longer used and higher mileage engines. Recommended for use in applications where Ford M2C-913 A or B are specified.

The MaxLife Synthetic motor oil advantages

- * **Engine life:** Extends the engine's working life
- * **Fuel Economy:** Gives the highest fuel efficiency
- * **Volatility:** Lowers oil evaporation and consumption at extreme conditions
- * **Cold start Properties:** Oil flows easily at low temperatures
- * **Oil Consumption:** Prevents leakage and excessive oil consumption

Performance levels	Viscosity	Grade
API SJ		5W-30
ACEA A1-02, B1-02		5W-30
ACEA A5-02		5W-30

Typical Properties	5W30
Viscosity, mm ² /s @ 100 °C	10.2
Viscosity, mm ² /s @ 40 °C	61.8
Viscosity Index	158
Viscosity, mPa.s -30 °C	<6600
Sulphated Ash, wt. %	1.3
TAN; mg KOH/g (ASTM D-664)	2.1
TBN; mg KOH/g (ASTM D-2896)	9.7
Pour Point, °C	-43
Specific Gravity @ 15/15°C	0.861
Flash Point, COC, °C	209
Noack Evaporation, wt. %	13.6

This information only applies to products manufactured in the following location(s): Europe

Effective Date:	Replaces:	Author's Initials:	Code
30-8-2010	034/04	AdG	

*Trademark owned by a third party ™ Trademark of Ashland or its subsidiaries, registered in various countries © 2010, Ashland

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence or otherwise is limited to the purchase price of the material. Freedom to use any patent owned by Ashland or others is not to be inferred from any statement contained herein.

ASHLAND